





GARDNER FENCE Systems™

Safe. Secure. Forever.



PRIVACY FENCE CATALOG

GARDNER PRIVACY FENCE SYSTEMS



Privacy with Lattice



Privacy



Basket Weave



Privacy

STYLES

- Privacy
- Privacy with Lattice
- Privacy with Picket Top
- Semi-Privacy
- Semi-Privacy with Alternating Pickets
- Basket Weave

6' wide sections available along with many other styles, arbors and accessories. (Example photo shown below)
Let us know if you would like something you do not see in the catalog.



Privacy

PRODUCT DESCRIPTION

Basic Use

- To help provide security, decoration and containment for residential and commercial applications

Specs

- .150" wall thickness post
- .90" wall thickness rails
- .065 wall thickness on 7/8 x 6 tongue & groove

Matching Gates with Hardware

- 4' & 5' single gates
- 8' & 10' double gates



Privacy with Mid-Rail

GARDNER PRIVACY FENCE SYSTEMS




Semi-Privacy



Privacy



Privacy




Two-tone Privacy



Privacy


Standard 6'h Privacy Only



White Woodgrain



Tan Woodgrain



Weathered Woodgrain



Cedar Woodgrain




Rustic Woodgrain



Adobe Woodgrain



Weathered Cedar




Chestnut Brown



Redwood



Aged Cedar



Natural Cedar

All Styles



White





Tan




CAPS

- Outside Pyramid
- Coachman
- Teardrop
- Ball Cap
- Gothic
- New England
- Solar Accent Light



ACCESSORIES

- Notching Tool - To re-notch cut rails
- Wall Brackets - To attach fence directly to a building or wall
- Hole Plugs - Used on posts to plug unused rail holes
- Metal Rail Inserts - To reinforce all bottom rails in 8' wide sections
- Rail Removers - Used to remove "notched" rails from a fence post
- Decorative Diamond Insert - Diamond window for privacy
- Sunburst Panel - Decorative top panel



Privacy Fence Parts

- Rails - Available in 6' or 8' lengths in any quantity
- Posts - Available in any lengths from 4'-9'. *Minimum order required for 8'+ lengths due to UPS Shipping Restrictions*
- Caps - All cap styles available in any quantity
- Pickets - Available in tongue & groove and 7/8 x 3 in any lengths

Privacy Gate Parts

- Stiles with gate socket - The vertical pieces on our gate kits
- Drop Pins - Used with double drive latch to hold gates in the closed position
- Drop Pin Guides - Attached to center stiles to keep drop pin anchored to the stile
- Drop Pin Sleeve - Placed into the ground to receive & hold the drop pin in place
- Metal Post Inserts - Used inside each hinge post
- Two sided double gate latch
- Locking single gate latch
- Magnetic pool latch
- Self closing hinges



STEPS TO A SUCCESSFUL FENCE ORDER:

1. What is the total linear footage you will need for your project? (we're happy to review a drawing with you to help you calculate your accurate footage & post needs)
2. How many of your total posts (divide total footage by 8) will you need to be:
 - End Posts - Holes on one side. Used where your fence stops/starts and where gates will be placed.
 - Corner Posts - Hole on two perpendicular sides. Used to make 90 degree turns in your fence.
 - T-Posts - Holes on 3 sides. Used primarily when dividing a yard.
 - Line Posts - Holes on 2 opposite sides. The most common post.
 - If you are cutting sections shorter than 8' or have extra stop and starts you may need extra posts.
3. How many gates do you want? What size gate openings do you want?
4. What is your delivery address? Is it accessible for a large truck or do we need to arrange an off-site delivery?
5. How will you be paying?

PAYMENT

Fence Materials Payment is due at the time of order. Installation Payment terms vary depending on project size. We accept:

- All Major credit cards - Visa, Amex, MC, Discover
- PAYPAL
- Checks (ask about our pay by check discount!)
- Wire Transfers
- Money Orders

Please note: To pay by check we request that you scan and e-mail to sales@gardnerfence.com, or fax to (800) 736-9080. You retain the original check for your records. We run them electronically.

DELIVERY

Delivery Drivers will call the day prior to schedule your delivery. Drivers do not unload. Orders of 360' or less may show up on a box truck, and depending on your equipment, may require hand unloading. If you have any questions or concerns about your delivery, please ask!

We are here to help.

WARRANTY

As a leading Supplier of quality outdoor products, Gardner Fence (Seller), warrants that Gardner products purchased pursuant to this agreement are free from defects in workmanship and material and will not peel, rust, chip, blister, warp or corrode as long as the purchaser owns the product. Seller shall have no warranty obligation for products purchased under this agreement if the product is subjected to or damaged by improper application, installation; misuse; accident; alteration; negligence, fire or other casualty; or acts of God. There are no other warranties expressed or implied except as stated herein. This warranty is issued only to the original purchaser from Seller and is not transferable to third parties without prior written consent of Seller.

For complete warranty information, go to:
www.gardnerfence.com

Gardner Fence is rated A+ with the Better Business Bureau! We strive to offer you a quality fence with friendly service at the best price. If we are lacking in one or more areas at any time, then please let us know. Our customers are the most important advertisers we have!

INSTALLATION



Gardner Fence always has an experienced installer available to answer your questions! You can also use step by step installation guide on pages 6&7 of this catalog

Need your fence installed?

Gardner Fence offers turn key nationwide installation services! All of our installations include concrete in every post hole. Ask us for a quote for your project.

Please note that a \$2000 minimum installation charge does apply in most states


BEFORE BEGINNING INSTALLATION TOOLS/SUPPLIES NEEDED

1. Check to see if a permit is required.
2. Contact your local utility company to locate any underground services.
3. Locate property pins if needed.

- 25' and 100' tape
- Spray paint (bright color)
- Spool of yellow masonry line
- 1/2" x 24" rebar stakes
- 12" (minimum) power auger & hand diggers
- Post level
- Hammer
- Circular saw with plywood blade

PRIVACY BASIC INSTALLATION INSTRUCTIONS


- 1 Make your layout using the rebar stakes and masonry line per the illustration below. Decide which side of the string represents the back of the post. Be sure that the string is on this side of the rebar stake. Pull the string tight and tie it off at each rebar stake



- 2 To square the corners, use the 3-4-5 Rule.

3-4-5 Rule

A triangle with sides measuring 3 units x 4 units x 5 units (or 6-8-10 or any combination thereof) will always have a square corner where the 3 and 4 unit sides meet. To square a corner, measure 3 units along one side and 4 units along the other side. Adjust the sides until the diagonal equals 5 units.



- 3 Using the 100' tape and the spray paint, mark your holes 6' or 8' on center (depending on your section size) 2 1/2" in from the string line. (The string represents the back of the post and 2 1/2" in the center of the 5" square posts.) Remember to mark any gate openings.
- 4 Start drilling! (simply push the string line away from you with your foot.) Clean all the holes with the hand diggers.
- 5 Place posts in the holes leaning them away from the string line. Lay out two bags of quikrete (80#) per hole.
- 6 Place your 1st post where it needs to be in the hole about 1/8" away from the string line. Confirm the post is level and pour the quikrete around the post. Add water as needed. Set the 2nd post in the hole but do not add quikrete yet, place your bottom rail into both posts. (If 8' sections your BOTTOM rail has the metal insert in it) Place your top rail into the top 1st post. Next add your pickets between the rails along with the channel on the end and then place the top rail into the 2nd post. (see added instructions on the next page if your fence has a mid rail) Make sure both posts are level and add quikrete and water around the 2nd post. Continue this procedure for the rest of the sections.

- 7** After setting a series of posts and sections, you need to align the tops and double check they are level. Make sure the first and last posts set are at the height you want. If you pull a post up, be sure to get some quikrete inside the post. (you will need to fill the void it created, or it will slide back down during freezing weather) Using a hammer and a block of wood, pound the post back down where it needs to be. To straighten the post, DO NOT push or pull the top of the post! Use your foot and press against the bottom of the post. Compact the ground as hard as possible. Wipe any concrete off of the post, and put on the post caps.

If you have sections over 6' high or are in a high wind area please call for additional recommendations.

Privacy with Lattice or Picket Top

Use the instructions above except that the top rail is now your mid rail. Once the mid rail is set, you either have a groove on the top of the mid rail for lattice or picket holes for the pickets. Set those in and add your top rail into the posts.

Semi-Privacy

Use the instructions above. Picket holes are pre-routed for your pickets. If it is over 4' high you will have a mid rail. Put the bottom rail into the post, slide your picket into the holes on the bottom rail and the mid rail and set the mid rail into the posts. Then slide the pickets into the top rail and set the rail into the post on each side.

Cutting Sections to Shorter Lengths

Privacy - Cut the top and bottom rail to the length you need. Re-notch the ends that you cut. You can eliminate the uprights, or you may need to rip 1 picket to get the desired length. Remember to add the channel to the end.

Privacy with Lattice - Cut the same as above, and cut your lattice to the length you need.

Privacy with Picket Top - Cut the same as above, but make sure your top pickets are spaced equally on each end. You may have to cut from both sides to make it even.

Semi-Privacy - Cut the same as above but make sure your pickets are spaced equally on each end. You may have to cut from both sides to make it even.

Privacy Gate Kit Installation

Our gate is a kit but includes everything you need to build the gate. You will need to have existing posts to mount the hinge and latch hardware. If you do not have existing posts, then please order them with your gate kit.

Gate Section Assembly Instructions

Measure the distance between the gate posts. Assemble your gate to be 2" narrower than that measurement for the single gate, or 3" for a double gate divided by 2. First, Insert your horizontal rails into the gate sockets. (Do not glue until all adjustments have been made). Confirm your gate fits the opening and that your gate is the same width at the top and bottom. Then measure diagonal corner to corner and confirm those measurements are equal. This confirms your gate is perfectly square. Then attach the corner brace to the top and bottom rails. Now go back and glue the rails into the pockets and re-measure as quickly as possible (before the glue dries). Now your section is assembled. YAY! Repeat for 2nd side if installing a double gate.

Gate Hinge Hardware Installation Instructions

The hinge hardware goes on the side you want the gate to open up into. (Both sides if you are installing a double gate) Align your hardware with the top and bottom rail on the end post and screw into the post to attach the hinge. Now, make sure your gate is level and then screw the hinges in at the proper place on the stile to maintain a level hanging gate.

Gate Latch Installation Instructions

After your hinges are in place, you are ready to attach the latch. This can be put at any height you would like. Mount the latch receiver at the desired height on your post. (center stile on a double drive gate) Then mount the latch pin on the stile at the proper height to meet the latch receiver for smooth opening and closing.

If you are installing a double gate - Add the drop rod and brackets to one of the gate sections. Make sure that the brackets are set to a height that allows the rod to reach into the sleeve. To install the sleeve, dig a 6" hole to accommodate the sleeve, set the sleeve into the hole and repack the dirt tightly.

Finally, add your caps to the top of the stiles. Now pat yourself on the back! Good Job!!

*Instructions for the hardware are also included in your gate kit package. More detailed instructions can be found on our website at www.gardnerfence.com



GARDNER FENCE Systems™

Safe. Secure. Forever.

Nationwide • Sales: (800) 788-3461 • Fax: (800) 736-9080



Find us on facebook and instagram



A PDF copy of the product warranty is available at www.gardnerfence.com ©2019 Gardner Fence Systems. All rights reserved.

www.gardnerfence.com